Every Opinion Matters: Distributional and Long-tail Evaluation for LLMs

Xiang Lorraine Li

Assistant Professor at SCI Pitt

UMassAmherst

Robert and Donna Manning College of Information & Computer Sciences





Impressive Progress in Al



Impressive Progress in Al



Models Need Diverse Commonsense Knowledge with Different Views!

They boiled the water.

Shared

They boiled the water.

Shared

Water is liquid.

Water can be found in river.

Humans drink water. Water evaporates.

Water can be used for cleaning. Water can be used to wash clothes.

Water is wet.

They boiled the water.

Water needs to be held in a container.

Shared

Water is liquid.

Water can be found in river.

Humans drink water. Water evaporates.

Water can be used for cleaning. Water can be used to wash clothes.

Water is wet.

They boiled the water.

Water needs to be held in a container.

Shared

Water is liquid. Water can be used for cleaning. Water can be found in river. Water can be used to wash clothes.

Humans drink water. Water evaporates. Water is wet.

They boiled the water.

Water needs to be held in a container. Boiled water is too hot to drink. Heat is needed to boil water. Burner can provide heat.

Shared

Implicit

Everyday Matters

Water is liquid.

Water can be found in river.

Water can be used for cleaning.

Water can be used to wash clothes.

Humans drink water. Water evaporates.

Water is wet.

They boiled the water.

Water needs to be held in a container. Boiled water is too hot to drink.

Heat is needed to boil water.

Burner can provide heat.

Water can be used for cleaning. Water is liquid. Water can be found in river. Water can be used to wash clothes. Humans drink water. Water evaporates. Water is wet.

They boiled the water.

Water needs to be held in a container. Boiled water is too hot to drink. Heat is needed to boil water. Burner can provide heat.


Massive

Humans drink water.	Boiled water can cook for	ood. Water can be found in river. Heat is needed to boil water.	Water can be used for Sugar can melt in water	cleaning. Boiled water There are us	can cook food. sually waiter helping yo	Water needs to be held ou order food.	in a container.
Vater is liquid.	Open the jelly jar.	Water evaporates.	They boiled the water, then a	1.1	leat is needed to boil v	vater. When it's cloudy, some	
can provide heat. Huma Humans dri Heat is needed to boil Heat is neede	ink water. Water needs to b I water. Water can	ater earr be used to wash clothes.	e held in a container. Sugar v Human feel satisfied after havi		t time is usually in the ter in the river all they walked all	eople are walking along the riverse afternoon Sunset car water is not directly drinkable. ong the river at sunset time.	n be beautiful.
Boiled water can co Water can be use	ook ioou.	of 15 too flot to diffix.	er needs to be held in a contain	Sugar water is also liquioner. an be used for cleaning	Water needs to be held	d in a container. Humans dr	People are walking ink water.
	od Boiled water can coduman feel satisfied after have described to put peanut butter	ok food. They boile ving sweet stuff.	d the water.	er needs to be held in a Huma ater is wet.	container. V		g you order food.
A knife with peanut but	tter could be the tool. Hum	nan can put peanut butter on the bread Some people love sugar. Huma Peanut butter on the bread is usually br	Person can open jar Heat is needed to boil n feel satisfied after having swe eakfast.	water. She walked eet stuff.	into a restaurant and s	Sometimes	can cook food. the ordering is automathing in the content in the court in the cour
Sweet water to Human feel satisfied	People who wa	nts to lose weight usually avoid peanut b Peanut butter is high calorie food Some people hate sugar. Most bread	water can be used for cutter. Boiled water can Water is wet.	leaning. Orde n cook food. s to be held in a contain	ering food needs menu Walking into a re ner.	Restaurant serves food. estaurant usually at breakfast/lu	unch/dinner time.
Peanut butter ca	an be spread Some peop The kind of bread	ole are allergic to peanut butter. The that can add peanut butter is flat.	nere is water in the river Peanut butter is sweet	Tom asked me l	o restaurant through do how to get to the librar	Orderi	can cook food. ng food needs menu water can cook food.
Some people nate peam		A knife with poe very serious, life-threatening. Bread	peanut butter could be the tool with peanut butter can be satis	fving. Walking into	a restaurant usually at	t breakfast/lunch/dinner time.	11 / 11

Water needs to be held in a container.

11 / 119

Massive



COP26 is seen as crucial if climate change is to be brought under contro

As the COP26 climate summit enters its second week, negotiations in Glasgow have hit a critical phase.


The conference is seen assortable dimeter thange is to be brought under control. So we asked more than a dozen climate scientists, negotiators and economists from around the world what they wanted to see agreed this week.

Cut emissions now

genera

his chil

The scientists all wanted to see more countries commit to net zero by 2050 at the latest. Yet many said changes in the next decade would be the most



has attracted attention because of its physicochemical and biological properties in the prevention cardiovascular and neurodegenerative diseases, and hypertension, among others. Antioxidants including lycopene, interact with reactive oxygen species, can mitigate their damaging effects and play a significant role in preventing these diseases. This article presents a review of some epidemiological studies published in recent years on beneficial effects of lycopene in human health.

ances, particularly indoors in poorly ventilated areas. Transmission rarely occurs via contaminated surfaitagious for 10 days, often beginning before or without symptoms. [6][7] Mutations have produced many s

d and widely distributed in various countries since December 2020. Other recommended preventive me Article Open Access Published: 15 July 2021

Highly accurate protein structure prediction with AlphaFold

<u>John Jumper</u> ⊠, <u>Richard Evans</u>, ... <u>Demis Hassabis</u> ⊠ + Show authors Nature 596, 583–589 (2021) | Cite this article

502k Accesses | 568 Citations | 2962 Altmetric | Metrics

Abstract

Proteins are essential to life, and understanding their structure can facilitate a mechanistic understanding of their function. Through an enormous experimental effort $\frac{1}{2}$, the structures of around 100,000 unique proteins have been determined $\frac{5}{2}$, but this represents a small fraction of the billions of known protein sequences 6.7. Structural coverage is bottlenecked by the months to years of painstaking effort required to determine a single protein structure. Accurate computational approaches are needed to address this gap and to enable large-scale structural bioinformatics. Predicting the three-dimensional structure that a protein will adopt based solely on its amino acid sequence—the structure predictior component of the 'protein folding problem' 8—has been an important open research problem for more than 50 years $\frac{9}{2}$. Despite recent progress $\frac{10,11,12,13,14}{2}$, existing methods fall far short of atomic accuracy, especially when no homologous structure is available. Here we provide the first computational method that can regularly predict protein structures with atomic accuracy even in cases in which no similar structure is known. We validated an entirely redesigned version of our neural network-based model, AlphaFold, in the challenging 14th Critical Assessment of protein Structure Prediction (CASP14)15,

demonstrating accuracy competitive with experimental structures in a majority of cases

and greatly outperforming other methods. Underpinning the latest version of AlphaFold is a

Out of Asia: mitochondrial evolutionary history of the globally introduced supralittoral isopod Ligia exotica

SPECIAL ISSUE: ALGEBRAIC METHODS IN PHYLOGENETICS Tropical Principal Component Analysis and Its Application

to Phylogenetics They boiled the water. Ruriko Yoshida¹ • Leon Zhang² • Xu Zhang³

its text may be subject to foreign copyright protection 2018

https://doi.org/10.1007/s11538-018-0493-4

Received: 7 October 2017 / Accepted: 24 August 2018 / Published online: 11 Se © This is a U.S. government work and its text is not subject to copyright prote

Principal component analysis is a widely used method for the of a given data set in a high-dimensional Euclidean space. He two analogues of principal component analysis in the settir DNA vaccine encoding Middl one approach, we study the Stiefel tropical linear space of fi

protein induces protective in the data points in the tropical projective torus; in the other a Hang Chi^a, Xuexing Zheng^{a,b}, Xiwen Wang^a, Chong Wang^a, Hualei Wang^{a,c}, Weiwei Gai^a, Stanley Perlman ^d, Songtao Yang ^{a,c,*}, Jincun Zhao ^{e,*}, Xianzhu Xia ^a

ARTICLE INFO

Middle East respiratory syndrome (MERS)-coronavirus (MERS

A Rapid and Specific Assay for the

Detection of MERS-CoV

Middle East respiratory syndrome coronavirus (MERS-CoV) is a novel humar coronavirus that can cause human respiratory disease. The development of a detection method for this virus that can lead to rapid and accurate diagnosis would be significant. In this study, we established a nucleic acid visualization technique that combines the Reviewed by:

Trinothy Shashan,

y o Morth Cavolina

flow visualization restricting the flat optimization technique and a vertical

flow visualization strip (RT-LAMP-VF) to detect the N gene of MERS-CoV. The RT-LAMP
flow visualization strip (RT-LAMP-VF) to detect the N gene of MERS-CoV. The RT-LAMPat Chape Hill, United States VF assay was performed in a constant temperature water bath for 30 min, and the om as result was visible by the naked eye within 5 min. The RT-LAMP-VF assay was capable of detecting 2×10^1 copies/ μ I of synthesized RNA transcript and 1×10^1 copies/ μ I of MERS-CoV RNA. The method exhibits no cross-reactivities with multiple CoVs includin SARS-related (SARS)-CoV, HKU4, HKU1, OC43 and 229E, and thus exhibits high specificity. Compared to the real-time RT-PCR (rRT-PCR) method recommended by the World Health Organization (WHO), the RT-LAMP-VF assay is easy to handle, does not require expensive equipment and can rapidly complete detection within 35 min.

Amazon's Alexa Just Gave A Lethal

Challenge To A 10-Year-Old

Amazon Alexa reportedly told a child to do a potentially lethal challenge. Fortunately, the kid is safe, and the company has fixed the glitch.

BY KISHALAYA KUNDU PUBLISHED 5 DAYS AGO



Out of Asia: mitochondrial evolutionary

Luis A. Hurtado¹, Mariana Mateos¹, Chang Wang^{1,2}, Carlos A. Santamaria¹

history of the globally introduced

supralittoral isopod Ligia exotica

Jongwoo Jung⁴, Valiallah Khalaji-Pirbalouty⁵ and Won Kim⁶





TICK FEVER

Richard Klasco, MD

0025-7125/02 \$15.00 + .00

Ialaria Journal







llo², Denis Malvy⁷

AI-powered voice assistants like **Amazon Alexa** can be of great help, but as a recent case shows, they can also pose a grave danger to children sometimes. Alongside Google Assistant and Apple's Siri, Alexa is one of the leading voice-based digital assistants that debuted on the company's Echo smart speakers back in 2014. It is now supported by a whole host of gadgets and smart home devices, including phones, tablets, TVs, media boxes, wearables, headphones,

Alexa comes with many capabilities with over 100,000 available 'skills.' It can pair with a range of home automation devices, including smart bulbs, doorbells, microwave ovens, etc. Users can also order take-outs using Alexa, stream music on a plethora of music streaming idvent of malaria y an increasing often have an s and concurrent

ou region presenting Nile (WNV), dengue 'alley fever viruses nostics tests (RDT) analysis of single or


Massive

Water is liquid. Water can be used for cleaning. Water can be found in ocean. Water can be used to wash clothes. Humans drink water. Water evaporates. Water is wet.


They boiled the water.

Water needs to be held in a container. Boiled water is too hot to drink. Heat is needed to boil water. Burner can provide heat.


Massive




They boiled the water.



Massive



They boiled the water.



Using what?

Kettle

In what?

Pot

Glass

Beaker

Etc.


Stove

Microwave

Bunsen burner

Etc.

Massive



Massive Probabilistic They boiled the water. Using what? In what? Kettle Pot

Glass

Beaker

Etc.

Stove


Microwave

Bunsen burner

Etc.

Massive

Probabilistic




Probabilistic Massive They boiled the water and added spaghetti. Using what? In what? Stove Pot Glass Etc. Etc.


Massive Probabilistic Contextual They boiled the water and added spaghetti. Using what? In what? Stove Pot Glass Etc. Etc.

Common Sense in Language Model

Models based on large language models show impressive performance on many commonsense question answering tasks.



Do language models learn common sense?



Do language models learn common sense?


Dataset	Example	Number of Choices	Reasoning Type
Physical IQa (Bisk et al. 2019)	Question: To apply eyeshadow without a brush, should I use a cotton swag or a toothpick? Answer: Cotton swab.	2	Physical
Social IQa (Sap et al. 2019)	Question: Tracy had accidentally pressed upon Austin in the small elevator and it was awkward. Why did Tracy do this? Answer: Squeeze into the elevator	3	Social
WinoGrande (Sakaguchi et al. 2019)	Question: The trophy didn't fit the suitcase, because it is too big. What does it refers to? Answer: The trophy	2	Physical, Social etc
HellaSwag (Zellers et al. 2019)	Question: Four sentence short story. Answer: the possible ending.	4	Temporal, Physical etc

Four multiple choice selection QA datasets.


Do language models learn common sense?

Question: Tracy had accidentally pressed upon Austin in the small elevator and it was awkward. Why did Tracy do this?


- Answer a: get very close to Austin.
- **Answer b:** squeeze into the elevator.
- **Answer c:** get flirty with Austin.




Zero-shot Performance: random baseline




Zero-Shot is not bad, especially for HellaSwag and PIQA



How much of the performance comes only from answers?




Models pick the correct answer without seeing the question



We need better commonsense evaluation!

Dataset Bias!



Outline

Benchmark: Probabilistic Evaluation for Common Sense Question with Multiple-answers

- Every Answer Matters: Evaluating Commonsense with Probabilistic Measures. [ACL 2024]
- Leveraging Large Models for Evaluating Novel Content: A Case Study on Advertisement Creativity. [EMNLP 2025]

Benchmark: Long-tail Question: Commonsense Reasoning Evaluation

- UNcommonsense Reasoning: Abductive Reasoning about Uncommon Situations. [NAACL 2024]
- In search of the long-tail: systematic generation of long-tail knowledge via logical rule guided search [EMNLP 2024]
- Think Globally, Group Locally: Evaluating LLMs Using Multi-Lingual Word Grouping Games. [EMNLP 2025]

Outline

Benchmark: Probabilistic Evaluation for Common Sense Question with Multiple-answers

- Every Answer Matters: Evaluating Commonsense with Probabilistic Measures. [ACL 2024]
- Leveraging Large Models for Evaluating Novel Content: A Case Study on Advertisement Creativity. [EMNLP 2025]

Benchmark: Long-tail Question: Commonsense Reasoning Evaluation

- UNcommonsense Reasoning: Abductive Reasoning about Uncommon Situations. [NAACL 2024]
- In search of the long-tail: systematic generation of long-tail knowledge via logical rule guided search [EMNLP 2024]
- Think Globally, Group Locally: Evaluating LLMs Using Multi-Lingual Word Grouping Games. [EMNLP 2025]

Every Answer Matters: Evaluating Commonsense with Probabilistic Measures

Qi Cheng



Michael Boratko



Pranay Yelugam



Tim O' Gorman





Nalini Singh




Andrew Xiang Lorraine Li McCallum








Probabilistic Evaluation of Commonsense



Probabilistic Evaluation of Commonsense



CFC Data Collection

We crowd-source high-quality evaluation data


Context Sentence

"Dog catches the thrown frisbee."

CommonGen (Image Captions)

CFC Data Collection

We crowd-source high-quality evaluation data



"Dog catches the thrown frisbee."



CommonGen (Image Captions)

AMR Parsing

We crowd-source high-quality evaluation data



"Dog catches the thrown frisbee."



"Who throws the frisbee?"

CommonGen (Image Captions)

AMR Parsing

AMR-unknown

We crowd-sourced high-quality 101 questions (manual filtering)




Missing Slot	Definition	Examples
Arg0	Who/what does the event?	Sentence: putting cheese on the pizza. Arg0? Answers: person, cook
Purpose	What is the goal for doing the event?	Sentence: putting cheese on the pizza. Purpose? Answers: get nutrition, stop being hungry
Instrument	What kind of tools are used to accomplish the event?	Sentence: putting cheese on the pizza. Instrument Answers: hands, spoon
Time	What is a particular time (time of day, season, etc.) for doing the event?	Sentence: putting cheese on the pizza. Time? Answers: lunch time, dinner time
Location	Where would the event usually happen?	Sentence: putting cheese on the pizza. Location? Answers: kitchen, restaurant

We crowd-sourced high-quality 101 questions (manual filtering)



Missing Slot	Definition	Examples
Arg0	Who/what does the event?	Sentence: putting cheese on the pizza. Arg0? Answers: person, cook
Purpose	What is the goal for doing the event?	Sentence: putting cheese on the pizza. Purpose? Answers: get nutrition, stop being hungry
Instrument	What kind of tools are used to accomplish the event?	Sentence: putting cheese on the pizza. Instrument? Answers: hands, spoon
Time	What is a particular time (time of day, season, etc.) for doing the event?	Sentence: putting cheese on the pizza. Time? Answers: lunch time, dinner time
Location	Where would the event usually happen?	Sentence: putting cheese on the pizza. Location? Answers: kitchen, restaurant



"They boiled the water" Purpose?

cooking clean

cook make tea disinfect disinfecting

for making tea making dinner cleaning

to cook cook food for a hot drink cleaning tools

cooking spaghetti making pasta kill bacteria

steaming vegetables purify purification

boiling potatoes

make safe to drink

boiling chicken

sterilization for an experiment



"They boiled the water" Purpose?

```
for making tea
                                         clean
                                                   disinfect
                for a hot drink
                                        disinfecting
        make tea
                                        cleaning cleaning tools
                   making pasta
cooking spaghetti
                                            kill bacteria
             steaming vegetables
to cook
     boiling potatoes
                                                purification
           boiling chicken
 cook
                                        make safe to drink
               making dinner
  cook food
                                            sterilization
          cooking
                        for an experiment
            0.25
```

- Classic problem in statistics.
 - KL divergence between [Neyman-Pearson lemma]
 - \rightarrow true distribution f and empirical sample distribution g.
 - The approximated error rate is bounded by [1]

$$\Rightarrow \mathbb{P}(D_{KL}(g_{n,k}||f) \ge \epsilon) \le e^{-n\epsilon} \left[\frac{3c_1}{c_2} \sum_{i=0}^{k-2} K_{i-1} (\frac{e\sqrt{n}}{2\pi})^i \right]$$

- Classic problem in statistics.
 - The approximated error rate is bounded by [1]

$$\Rightarrow \mathbb{P}(D_{KL}(g_{n|k}||f) \ge \epsilon) \le e^{-n\epsilon} \left[\frac{3c_1}{c_2} \sum_{i=0}^{k-2} K_{i-1} \left(\frac{e\sqrt{n}}{2\pi} \right)^i \right]$$

- *n*: number of samples
- k: number of category in the categorical distribution
- ϵ : KL error rate


- Classic problem in statistics.
 - The approximated error rate is bounded by [1]

$$\Rightarrow \mathbb{P}(D_{KL}(g_{n|k}||f) \ge \epsilon) \le e^{-n\epsilon} \left[\frac{3c_1}{c_2} \sum_{i=0}^{k-2} K_{i-1} (\frac{e\sqrt{n}}{2\pi})^i \right]$$

- *n*: number of samples
- k: number of category in the categorical distribution = 8
- ϵ : KL error rate = 0.2

- Classic problem in statistics.
 - The approximated error rate is bounded by [1]


$$\Rightarrow \mathbb{P}(D_{KL}(g_{n,k}||f) \geq \epsilon) \leq e^{-n\epsilon} \left[\frac{3c_1}{c_2} \sum_{i=0}^{k-2} K_{i-1} \left(\frac{e\sqrt{n}}{2\pi} \right)^i \right]$$



- *n*: number of samples
- k: number of category in the categorical distribution = 8
- ϵ : KL error rate = 0.2

How many answers are enough to approximate the true human answer distribution?

~97. we collect 100 answers for each question.




CFC Data Statistics

We crowd-sourced high-quality 101 questions (manual filtering)

- 55 Dev Questions
- 46 Test Questions

Each question have 100 answers to **accurately** approximate human distribution.

- Questions: They boiled the water. Purpose?
- Answers:




Question Slot Type

cook, cook noodles, cook pasta, bake cake, boil eggs, pasta, make pasta, cook meal, to make tea, coffee, make coffee, to make it safe to drink, to sterilize it, to remove germs and make it safe to drink ...

"They boiled the water" Purpose?





"They boiled the water" Purpose?

cooking clean disinfect

cook make tea disinfecting

for making tea making dinner

cleaning

to cook cook food for a hot drink

cleaning tools

cooking spaghetti making pasta

kill bacteria

steaming vegetables purify

purification


boiling potatoes

make safe to drink

boiling chicken sterilization

for an experiment





"They boiled the water" Purpose?

cooking

disinfect

clean

cook make tea

disinfecting

for making tea

making dinner cleaning

to cook

cook food for a hot drink

cleaning tools

cooking spaghetti

making pasta

kill bacteria

steaming vegetables

purify

purification

boiling potatoes

boiling chicken

make safe to drink

sterilization

for an experiment



make a cup of tea

for tea

making coffee

cleaning

cooking


to sanitize

cook dinner

kill parasites

to make hard boiled eggs

making food steriliza instruments



"They boiled the water" Cause?

cooking clean make a cup of tea disinfect disinfecting cook make tea making coffee for tea making dinner cleaning for making tea for a hot drink cooking cleaning tools cook food to cook making pasta cooking spaghetti cook dinner kill bacteria steaming vegetables purify purification to make hard boiled eggs boiling potatoes make safe to drink boiling chicken making food steriliza instruments for an experiment sterilization

51 / 119

cleaning

kill parasites

to sanitize

"They boiled the water" Purpose?

for making tea
for a hot drink
make tea

cooking spaghetti making pasta
to cook steaming vegetables
boiling potatoes
cook boiling chicken
cook food making dinner

cooking

drink

clean
disinfect
disinfecting

cleaning
cleaning tools

getables

kill bacteria
purify
purification

make safe to drink
inner
for an experiment

make a cup of tea

for tea

making coffee

cleaning

cooking

to sanitize

cook dinner

kill parasites

to make hard boiled eggs

making food

steriliza instruments



"They boiled the water" Purpose?

for making tea
for a hot drink
make tea

cooking spaghetti
making pasta
to cook
steaming vegetables
boiling potatoes
puri
cook
cook boiling chicken
cook food
making dinner
cooking
for an experiment

clean disinfect disinfecting cleaning cleaning tools kill bacteria purify purification make safe to drink sterilization ment

make a cup of tea
for tea making coffee

cleaning
to sanitize

steriliza instruments

cooking
to make hard boiled eggs
making food cook dinner kill parasite



"They boiled the water" Purpose?

for making tea
for a hot drink
make tea

cooking spaghetti making pasta
to cook steaming vegetables
boiling potatoes
boiling chicken
cook boiling chicken
cook food making dinner
cooking for an experiment

clean disinfect disinfecting cleaning cleaning tools kill bacteria

kill bacteria

purify purification

make safe to drink

sterilization


make a cup of tea for tea making coffee


> cleaning to sanitize

steriliza instruments

cooking
to make hard boiled eggs
making food cook dinner kill par

kill parasites





"They boiled the water" Purpose?

for making tea clean for a hot drink disinfecting make tea making pasta cooking spaghetti steaming vegetables kill bacteria to cook boiling potatoes boiling chicken cook make safe to drink making dinner cook food sterilization cooking for an experiment

clean disinfect madisinfecting for cleaning cleaning tools

kill bacteria


purify purification commake safe to drink to mading sterilization making

make a cup of tea
for tea making coffee

cleaning
to sanitize

steriliza instruments

cooking
to make hard boiled eggs
making food cook dinner kill parasi



0.25

```
For each question:
```

G ← ground-truth answers (crowd-sourced)

H ← evaluation answers (model)

For each human scorer:

Cluster G

Match H to clusters of G

Calculate score

Score(G, H) \leftarrow average of scores

For each question:

G ← ground-truth answers (crowd-sourced)

H ← evaluation answers (model)

For each human scorer:

Cluster G

Match H to clusters of G

Calculate score

Score(G, H) \leftarrow average of scores

Embed G

Cluster G

Match H to cluster of G

Calculate Score

Embed G

Cluster G

Match H to cluster of G

Calculate Score

Ground truth: G

cooking clean disinfect make tea disinfecting cook making dinner cleaning cook food cleaning tools to cook purification cooking spaghetti kill bacteria steaming vegetables for a hot drink boiling potatoes boiling chicken purify sterilization make safe to drink for an experiment for making tea making pasta

make a cup of tea
making coffee
for tea
cleaning
cooking
to sanitize
cook dinner
kill parasites
to make hard boiled eggs
making food
steriliza instruments

Model prediction: H

Embed G

Cluster G

Match H to cluster of G

Calculate Score

With Context

- BERT
- RoBERTa

Without Context

- word2vec
- GloVe
- FastText

for making tea make tea for a hot drink

<u>cooking</u>

to cook making dinner
cooking spaghetti cook food
boiling chicken cook
boiling potatoes
making pasta steaming vegetables

disinfect
disinfecting
clean
clean
cleaning tools
cleaning

purify kill bacteria purification

sterilization

make safe to drink

for an experiment

Embed G


Cluster G

Match H to cluster of G

Calculate Score

Clustering Algorithm

- K-Means
- G-Means [1]
- Hierarchical agglomerative clustering



[1] Zhao, Zhonghua et al. "G-Means: A Clustering Algorithm for Intrusion Detection." ICONIP (2008).

Qi, Boratko, Yelugam, O'Gorman, Singh, McCallum, Li. "Every Answer Matters: Evaluating Commonsense with Probabilistic Measures" ACL 2024

Embed G

Cluster G

Match H to cluster of G

Calculate Score

make tea for a hot drink for making tea clean cleaning disinfect disinfecting cleaning tools purify kill bacteria make safe to drink ourification sterilization for an experiment cooking making dinner to cook cook food cook boiling chicken boiling potatoes steaming vegetables making pasta cooking spaghetti

make a cup of tea
making coffee
for tea
cleaning
cooking
to sanitize
cook dinner
kill parasites
to make hard boiled eggs
making food
steriliza instruments

Embed G

Cluster G

Match H to cluster of G

Calculate Score

Embeddings Based

- FastTextLexical Token Based
- WordNet






Embed G

Cluster G

Match H to cluster of G

Calculate Score



$$Q = 0.2$$

Score (G, H) = KL (P || Q)

Given a question, and a large prediction set

• Sample n predicted answer sets.

Using human annotations, score answer sets:

• Using automatic evaluation, score answer sets:

Calculate Spearman correlation between H and A

Clustering	Gmeans		Xmeans		Hierarchical agglomerative clustering (HAC)	
Matching	FastText	WordNet	FastText	WordNet	FastText	WordNet
ProtoQA Correlation	0.528	0.681	0.525	0.668	0.593	0.698
CFC Correlation	0.561	0.721	0.503	0.728	0.564	0.728

Table: Spearman correlation between human KL score and automatic KL score


Clustering	Gmeans		Xme	eans	Hierarchical agglomerative clustering (HAC)	
Matching	FastText	WordNet	FastText	WordNet	FastText	WordNet
ProtoQA Correlation	0.528	0.681	0.525	0.668	0.593	0.698
CFC Correlation	0.561	0.721	0.503	0.728	0.564	0.728


Table: Spearman correlation between human KL score and automatic KL score

Clustering	Gmeans		Xmeans		Hierarchical agglomerative clustering (HAC)	
Matching	FastText	WordNet	FastText	WordNet	FastText	WordNet
ProtoQA Correlation	0.528	0.681	0.525	0.668	0.593	0.698
CFC Correlation	0.561	0.721	0.503	0.728	0.564	0.728

Evaluating Automatic Metric - PROBEVAL


X-axis: KL with human cluster and matching Y-axis: automatic evaluator score (kl or 1-protoqa score) Five random questions are annotated with different colors





ProtoQA Evaluator

Model Performance



Leveraging Large Models to Evaluate Novel Content A Case Study on Advertisement Creativity


Joey Hou



Adriana Kovashka




Xiang Lorraine Li









Which image ads is more creative





On the scale from 1 to 3, What's their creativity level?





Advertisement Creativity

It's a subjective task

How will VLMs perform on subjective tasks like this?

Ads Creativity Dataset Construction

Ads Images


- OSubsets: Creative-100 and Atypical-300
- Topics: clothing, food, automobile, beauty, leisure, electronics, drinks, service, non-commercial, and healthcare

- Fine-grained Annotation (Creative-100)
 - OAtypicality, Originality, Overall Creativity [3]
 - OAnnotators: Amazon Mechanical Turk
 - 025 annotations per data point

Ads Creativity Tasks


- Distribution Modeling: Simulate human group behavior
 - Task Setup: VLM simulates scores distribution by repeated prompting (for creativity, atypicality, originality)
 - Metrics
 - KL Divergence (human scores V.S. VLM scores)
 - Spearman's Correlation (human scores V.S. VLM scores)
- Pairwise Evaluation
 - Task Setup: VLM predicts which advertisement is more creative/atypical/original
 - •Metric: Accuracy (binary)
- Disagreement Prediction: estimate the level of disagreement and ambiguity
 - Task Setup: VLM directly predicts disagreement level (3 scale)
 - OMetric: Spearman's Correlation (human std. V.S. VLM prediction)

Ads Creativity: Findings



• Great performance for the pair-wise task.

Ads Creativity: Findings




• Okay results for distributional modeling tasks, similar to CFC.

Ads Creativity: Findings


- The disagreement task is the hardest.
- The model can't predict when there is greater disagreement/subjectivity for specific instances.

Dimension	Model	Disagreement ↑ R (p-value)
	LLaVA-7B	0.06 (.52)
Creativity	LLaVA-13B	nan
(Creative-100)	InternVL2-8B	0.20 (.05)
	GPT-4v	-0.04 (.72)
	LLaVA-7B	0.07 (.49)
Originality	LLaVA-13B	nan
(Creative-100)	InternVL2-8B	0.11 (.27)
	GPT-4v	0.15 (.13)
	LLaVA-7B	0.17 (.08)
Atypicality	LLaVA-13B	nan
(Creative-100)	InternVL2-8B	0.24 (.02*)
	GPT-4v	-0.07 (.47)
	LLaVA-7B	0.01 (.92)
Atypicality	LLaVA-13B	-0.05 (.43)
(Atypicality-300)	InternVL2-8B	0.02 (.75)
	GPT-4v	-0.00 (.96)


Why is performance so bad?



Why is performance so bad?



Why is performance so bad?




Commonsense

Commonsense

Creative Thinking

- New pre-prints!
- CreativityPrism: A Holistic Benchmark for Large Language Model Creativity



Outline

Benchmark: Probabilistic Evaluation for Common Sense Question with Multiple-answers

- Every Answer Matters: Evaluating Commonsense with Probabilistic Measures. [ACL 2024]
- Leveraging Large Models for Evaluating Novel Content: A Case Study on Advertisement Creativity. [EMNLP 2025]

Benchmark: Long-tail Question: Commonsense Reasoning Evaluation

- UNcommonsense Reasoning: Abductive Reasoning about Uncommon Situations. [NAACL 2024]
- In search of the long-tail: systematic generation of long-tail knowledge via logical rule guided search [EMNLP 2024]
- Think Globally, Group Locally: Evaluating LLMs Using Multi-Lingual Word Grouping Games. [EMNLP 2025]

New domain: creative thinking, complex reasoning, etc

New language: low-research language, etc

Outline

Benchmark: Probabilistic Evaluation for Common Sense Question with Multiple-answers

- Every Answer Matters: Evaluating Commonsense with Probabilistic Measures. [ACL 2024]
- Leveraging Large Models for Evaluating Novel Content: A Case Study on Advertisement Creativity. [EMNLP 2025]

Benchmark: Long-tail Question: Commonsense Reasoning Evaluation

Complex reasoning

- UNcommonsense Reasoning: Abductive Reasoning about Uncommon Situations. [NAACL 2024]
- In search of the long-tail: systematic generation of long-tail knowledge via logical rule guided search [EMNLP 2024]
- Think Globally, Group Locally: Evaluating LLMs Using Multi-Lingual Word Grouping Games. [EMNLP 2025]

Multi-lingual

Think Globally, Group Locally: Evaluating LLMs Using Multi-Lingual Word Grouping Games

César Guerra-Solano¹, Zhuochun Li², Xiang Lorraine Li¹

CS Undergrad!







¹Department of Computer Science, ²Department of Informatics and Networked Systems University of Pittsburgh, PA, USA





The New York Times Connections

Create four groups of four!

PINOT CARD SHOT GLASS ROSE QUARTZ DRIVE **THRUST PLATE** DISK **CLOUD BOUNCE NAPKIN FLEW GALLEON FORK**

Create four groups of four!

PARTS OF A TABLE SETTINGFORK, GLASS, NAPKIN, PLATE

KINDS OF DIGITAL STORAGE CARD, CLOUD, DISK, DRIVE

UNITS OF VOLUME PLUS LETTER
BOUNCE, GALLEON, PINOT, QUARTZ

INCREASED, WITH "UP"
FLEW, ROSE, SHOT, THRUST

View Results


Deselect All

Mistakes Remaining:


Submit

Connections as an Evaluation


- Work has explored *Connections* as an abstract reasoning evaluation
 - Lack of a clear strategy
 - Identifying/connecting properties of words
 - (Todd et al., 2024; Samadarshi et al., 2024)
- Lack of explainability with model performance
- Bias towards the English language && Western/North American culture




Gløbal Group



Gløbal Group



Gløbal Group







Dataset Background Subsets	Available Languages	Non-Culturally- Related Group Topic (in en)	Culturally-Related (C-R) Group Topic (in en)	C-R Group Amount	Total Group Amount	Game Settings $(N_{words} imes N_{groups})$
en	en	Professions	American Holidays	22	48	$\{2,3,4\} \times \{2,3,4\}$
es	es, en	Aquatic Animals	Characters From Don Quixote	27	48	$\{2,3,4\} \times \{2,3,4\}$
zh	zh, en	Tree Composition	The Five Classics	35	80	$\{2,3,4\} \times \{2,3,4\}$
hi	hi, en	Parts of a Train	Fairy Tales	32	49	$\{2,3,4\} \times \{2,3,4\}$
ar	ar, en	Things That Spin	Traditional Food	19	40	$\{2,3,4\} \times \{2,3,4\}$
nyt-seq	en	Basic Directions	Starts of U.S. Presidents	N/A	2044	$\begin{array}{ c c c c }\hline 4\times2,4\times3,\\ 4\times4 \end{array}$
nyt-shuf	en	Basic Directions	Starts of U.S. Presidents	N/A	2044	$\{2,3,4\} \times \{2,3,4\}$

- Evaluated 2 closed-source, 4 open-source models
 - GPT-3.5-Turbo, GPT-4
 - Llama3-8B, Llama3.1-70B
 - Size comparison
 - Mistral-7B
 - Aya-8B
 - Multilingual training paradigm


 Match attempts to true groups based on majority




- Match attempts to true groups based on majority
- Scoring topics and groups:





- Match attempts to true groups based on majority
- Scoring topics and groups:
 - Topic AchievedScore





- Match attempts to true groups based on majority
- Scoring topics and groups:
 - Topic AchievedScore
 - F1 Score
















Multilingual Training Greatly Improves Small Models

- Represent models as vectors of dataset performance
 - Plot first two PCs after PCA



Multilingual Training Greatly Improves Small Models


- Represent models as vectors of dataset performance
 - Plot first two PCs after PCA
- Aya-8B far smaller than
 GPTs and Llama 70B
 - Yet performs very similarly!
 - Multilingual training




- We hypothesize, outside of language, key game parameters are associated with difficulty
 - Need for a controlled setting

- We hypothesize, outside of language, key game parameters are associated with difficulty
 - Need for a controlled setting
- We consider three potential game parameters


- We hypothesize, outside of language, key game parameters are associated with difficulty
 - Need for a controlled setting
- We consider three potential game parameters
 - Game size



- We hypothesize, outside of language, key game parameters are associated with difficulty
 - Need for a controlled setting
- We consider three potential game parameters
 - Game size
 - Word overlap between groupings



- We hypothesize, outside of language, key game parameters are associated with difficulty
 - Need for a controlled setting
- We consider three potential game parameters
 - Game size
 - Word overlap between groupings
 - Semantic similarity of groupings



Models		Average F	1 Score	
Group Size	2	3	4	
GPT-3.5-Turbo GPT-4	0.881 0.925	0.890 0.940	0.884 0.949	
Group Count	2	3	4	
GPT-3.5-Turbo GPT-4	0.930 0.962	0.883 0.940	0.842 0.912	
Adjusted Rand Index Range	[-0.5, 0.0]	(0.0, 0.5]	(0.5, 1.0]	
GPT-3.5-Turbo GPT-4	0.924 0.969	0.927 0.974	0.951 0.990	
Candidate Proposal Overlap Range	[0.0, 0.75]	(0.75, 1.5]	(1.5, 2.25]	(2.25, 3.0]
GPT-3.5-Turbo GPT-4	0.932 0.977	0.873 0.923	0.813 0.863	0.831 0.859

Inconsistent trend with group size

Models	Average F1 Score			
Group Size	2	3	4	
GPT-3.5-Turbo GPT-4	0.881 0.925	0.890 0.940	0.884 0.949	
Group Count	2	3	4	
GPT-3.5-Turbo GPT-4	0.930 0.962	0.883 0.940	0.842 0.912	
Adjusted Rand Index Range	[-0.5, 0.0]	(0.0, 0.5]	(0.5, 1.0]	
GPT-3.5-Turbo GPT-4	0.924 0.969	0.927 0.974	0.951 0.990	
Candidate Proposal Overlap Range	[0.0, 0.75]	(0.75, 1.5]	(1.5, 2.25]	(2.25, 3.0]
GPT-3.5-Turbo GPT-4	0.932 0.977	0.873 0.923	0.813 0.863	0.831 0.859

- Inconsistent trend with group size
- Great consistency with GC, ARI, Overlap

Models		Average F	1 Score	
Group Size	2	3	4	
GPT-3.5-Turbo GPT-4	0.881 0.925	0.890 0.940	0.884 0.949	
Group Count	2	3	4	
GPT-3.5-Turbo GPT-4	0.930 0.962	0.883 0.940	0.842 0.912	
Adjusted Rand Index Range	[-0.5, 0.0]	(0.0, 0.5]	(0.5, 1.0]	
GPT-3.5-Turbo GPT-4	0.924 0.969	0.927 0.974	0.951 0.990	
Candidate Proposal Overlap Range	[0.0, 0.75]	(0.75, 1.5]	(1.5, 2.25]	(2.25, 3.0]
GPT-3.5-Turbo GPT-4	0.932 0.977	0.873 0.923	0.813 0.863	0.831 0.859

- Inconsistent trend with group size
- Great consistency with GC, ARI, Overlap
 - Greater GC = lower performance

Models	Average F1 Score			
Group Size	2	3	4	
GPT-3.5-Turbo GPT-4	0.881 0.925	0.890 0.940	0.884 0.949	
Group Count	2	3	4	
GPT-3.5-Turl GPT-4	0.930 0.962	0.883 0.940	0.842 0.912	
Adjusted Rand Index Range	[-0.5, 0.0]	(0.0, 0.5]	(0.5, 1.0]	
GPT-3.5-Turbo GPT-4	0.924 0.969	0.927 0.974	0.951 0.990	
Candidate Proposal Overlap Range	[0.0, 0.75]	(0.75, 1.5]	(1.5, 2.25]	(2.25, 3.0]
GPT-3.5-Turbo GPT-4	0.932 0.977	0.873 0.923	0.813 0.863	0.831 0.859

- Inconsistent trend with group size
- Great consistency with GC, ARI, Overlap
 - Greater GC = lower performance
 - Greater ARI = higher performance

Models	Average F1 Score			
Group Size	2	3	4	
GPT-3.5-Turbo GPT-4	0.881 0.925	0.890 0.940	0.884 0.949	
Group Count	2	3	4	
GPT-3.5-Turbo GPT-4	0.930 0.962	0.883 0.940	0.842 0.912	
Adjusted Rand Index Range	[-0.5, 0.0]	(0.0, 0.5]	(0.5, 1.0]	
GPT-3.5-Turbo GPT-4	0.924 0.969	0.927 0.974	0.951 0.990	
Candidate Proposal Overlap Range	[0.0, 0.75]	(0.75, 1.5]	(1.5, 2.25]	(2.25, 3.0]
GPT-3.5-Turbo GPT-4	0.932 0.977	0.873 0.923	0.813 0.863	0.831 0.859

- Inconsistent trend with group size
- Great consistency with GC, ARI, Overlap
 - Greater GC = lower performance
 - Greater ARI = higher performance
 - Greater Overlap = lower performance

Models		Average F	'1 Score	
Group Size	2	3	4	
GPT-3.5-Turbo GPT-4	0.881 0.925	0.890 0.940	0.884 0.949	
Group Count	2	3	4	
GPT-3.5-Turbo GPT-4	0.930 0.962	0.883 0.940	0.842 0.912	
Adjusted Rand Index Range	[-0.5, 0.0]	(0.0, 0.5]	(0.5, 1.0]	
GPT-3.5-Turbo GPT-4	0.924	0.927 0.974	0.951 0.990	
Candidate Proposal Overlap Range	[0.0, 0.75]	(0.75, 1.5]	(1.5, 2.25]	(2.25, 3.0]
GPT-3.5-Turbo GPT-4	0.932 0.977	0.873 0.923	0.813 0.863	0.831 0.859

Performance is Related to Group Content


Models	Mean F1 Score in Groups of Tag			
Group Tag	General Knowledge	Cultural and Pop Culture Knowledge	Linguistic	
GPT-3.5-Turbo	0.902	0.871	0.826	
GPT-4	0.954	0.937	0.916	
Llama3-8B	0.804	0.767	0.724	
Llama3.1-70B	0.935	0.900	0.859	
Mistral-7B	0.779	0.694	0.669	
Aya-8B	0.866	0.818	0.789	

Takeways

- Abstract reasoning performance is language-dependent, with English modalities leading to the best performance
- We show that this performance is associated with game parameters and group content, allowing controlled comparison
- We demonstrate the value of a multilingual-focused training paradigm, letting small models perform on-par with far larger models



Takeaways from the talk



NLP Tasks

NLP Tasks

Summary

Benchmark: Probabilistic Evaluation for Common Sense Question with Multiple-answers

- Every Answer Matters: Evaluating Commonsense with Probabilistic Measures. [ACL 2024]
- Leveraging Large Models for Evaluating Novel Content: A Case Study on Advertisement Creativity. [EMNLP 2025]


Benchmark: Long-tail Question: Commonsense Reasoning Evaluation

- UNcommonsense Reasoning: Abductive Reasoning about Uncommon Situations. [NAACL 2024]
- In search of the long-tail: systematic generation of long-tail knowledge via logical rule guided search [EMNLP 2024]
- Think Globally, Group Locally: Evaluating LLMs Using Multi-Lingual Word Grouping Games. [EMNLP 2025]

Thanks to the amazing students!




Joey Hou



Qi Cheng



Cesar Geurra-Solano



Zhuochun Li